B

Register	*			
Number			i	

Part III — PHYSICS

(New Syllabus)

(English Version)

Time Allowed: 3 Hours]

[Maximum Marks: 150

PART - I

N. B.: i) Answer all the questions.

- ii) Choose and write the correct answer
- iii) Each question carries one mark.

 $30 \times 1 = 30$

- 1. Two photons, each of energy 2.5 eV are simultaneously incident on the metal surface. If the work function of the metal is 4.5 eV then from the surface of the metal
 - a) one electron will be emitted
 - b) two electrons will be emitted
 - c) more than two electrons will be emitted
 - d) not a single electron will be emitted.
- 2. One amu is equal to
 - a) 931 eV
 - b) mass of carbon atom
 - c) 1.66×10^{-27} kg
 - d) mass of oxygen atom.

[Turn over

3.	The	time taken by a radioactive elemer	nt to	reduce to $e^{-1/2}$ times its original
	amount is its			
	a)	half-life period	b)	half-life period 2
	c)	mean-life period	d)	mean-life period 2
4.	The	radio-isotope used in agriculture is		
	a)	₁₅ P ³²	b)	₁₁ Na ²³
	c)	₂₇ Co ⁶⁰	d)	₁₁ Na ²⁴ .
5.	Base	ed on quark model a neutron is repre	esent	ed as
	a)	uud	b)	udd
	c)	udd'	d)	u¹du.
6.	In LCR series a.c. circuit, the phase difference between current and voltage is 30° . The reactance of the circuit is $17.32~\Omega$. The value of resistance is			
,	a)	30 Ω	b)	10 Ω
	c)	17·32 Ω	d)	1·732 Ω.
7.	In a	n electromagnetic wave, the phase	diffe	rence between electric field \overrightarrow{E} and
	mag	netic field \overrightarrow{B} is		5 *
	a)	$\frac{\pi}{4}$	b)	$\frac{\pi}{2}$
	c)	π	d)	zero.
8.	Velo	city of the electromagnetic waves thr	ough	vacuum is
	a)	$\sqrt{\mu_0 \in 0}$	b)	$\frac{1}{\sqrt{\mu_0 \in 0}}$
	c)	$\sqrt{\frac{\mu_0}{\epsilon_0}}$	d)	$\sqrt{\frac{\epsilon_0}{\mu_0}}$.
9.	In a plane diffraction grating, the unit of grating element is			
	a)	no unit	b)	metre
	c)	metre - 1	d)	degree.
10.		ay of light is incident on a glass preen the incident ray and the reflected		
	a)	57.5°	b)	32·5°
	c)	90°	d)	115°.
В	~ ,		∽ ,	

11.	Which of the following quantities is a scalar?				
	a)	Electric force	b)	Electric field	
	c)	Dipole moment	d)	Electric potential.	
12.		que on a dipole in a uniform electric	field :	is maximum when angle between \overrightarrow{P}	
	and	E is		,	
	a)	0°	b)	90°	
	c)	45°	d)	180°.	
13.	Pote	ential energy of two equal negative p	point	charges of magnitude 2 µC placed	
		apart in air is		CO	
	a)	2 J	b)	0-36 J	
	c)	4 J	d)	0·036 J.	
14.	A h	ollow metallic spherical shell carryin	g an	electric charge produces no electric	
	field	l at points	* _ (
•	a) on the surface of the sphere				
	b)	inside the sphere			
	c) at infinite distance from the centre of the sphere				
	d)	outside the sphere.			
15.	The colour code on a carbon resistor is red-red-black. The resistance of the				
	resistor is				
	a)	2·2 Ω	b)	22 Ω	
	c)	220 Ω	d)	2·2 kΩ.	
16.	The	potential barrier of silicon PN junction	on die	ode is approximately	
	a)	0.3 V	b)	0.7 V	
	c)	1·1 V	d)	10 V.	
В				[Turn over	

17.	The colour of light emitted by a LED depends on			
	a)	its reverse bias	b)	amount of forward current
	c)	its forward bias	d)	type of semiconductor material.
18.	. The Boolean expression to represent NAND operation is			
	a)	Y = A + B	b)	Y = A.B
	c)	$Y = \overline{A}$	d)	$Y = \overline{AB}$.
19.	High	n frequency waves follow		
	a)	ground wave propagation	b)	ionospheric propagation
	c)	the curvature of the earth	d)	the line of sight direction.
20.	In a	n AM superheterodyne receiver, the	local	oscillator frequency is 1.245 MHz.
	The	tuned station frequency is		
	a)	455 kHz	b)	790 kHz
	c)	690 kHz	d)	990 kHz.
21.	1. The energy of the electron in the first orbit of hydrogen atom is – 13.6 eV. It			
	pote	ential energy is		<i>y</i>
	a)	- 13·6 eV	bJ	13.6 eV
	c)	- 27·2 eV	d)	27·2 eV.
22 .	In h	lydrogen atom, which of the follows	lng tı	ransitions produce spectral line of
	max	imum frequency?		
	a)	$2 \rightarrow 1$	b)	$6 \rightarrow 2$
	c)	4 → 3	d)	$5 \rightarrow 1$.
2 3.	In a	n X-ray tube, the intensity of the em	itted .	X-ray beam is increased by
•	a)	increasing the filament current	b)	decreasing the filament current
	c)	increasing the target potential	d)	decreasing the target potential.
24.	The	chromium ions doped in the ruby ro	d	
	a)	absorbs red light	b)	absorbs green light
	c)	absorbs blue light	d)	emits green light.

25.	Acc	ccording to the theory of relativity the length of a rod in motion			
		is less than its rest length			
	b)	is same as its rest length			
	c)	is more than its rest length			
	d)	may be more or less than or equal of the rod.	to re	st length depending upon the speed	
26.	Nich	chrome is used as heating element because it has			
	a)	very low resistance	b)	low melting point	
	c)	high specific resistance	d)	high conductivity.	
27.	Of t	he following devices which has small	resis	stance?	
	a)	Voltmeter	b)	Ammeter of range 0 - 10 A	
	c)	Moving coil Galvanometer	d)	Ammeter of range 0 – 1 A.	
28.	An e	emf of 12 V is induced when the cur	rent	in the coil changes from 2 A to 6 A	
	in 0.5s. The coefficient of self-induction of the coil is				
	a)	1.5 H	b)	6 H	
	c)	0-3 Н	d)	30 н.	
29.	In a	n a.c. circuit with an inductor			
	a)	voltage lags current by $\frac{\pi}{2}$			
	b)	voltage and current are in phase			
	c)	voltage leads current by π			
	d)	current lags voltage by $\frac{\pi}{2}$.			
30.	The	unit of henry can also be written as			
	a)	V A s - 1	b)	Wb - 1 A	
	c)	Ω s	d)	all of these.	
В				[Turn over	

PART - II

N. B.: Answer any fifteen questions.

 $15 \times 3 = 45$

- 31. State Gauss' law in electrostatics.
- 32. Why is it safer to be inside a car than standing under a tree during lightning?
- 33. Write any three applications of superconductors.
- 34. A manganin wire of length 2 m has a diameter of 0.4 mm with a resistance of $70~\Omega$. Find the resistivity of the material.
- 35. State Kirchhoff's (i) current law and (ii) voltage law.
- 36. Define Peltier coeficient and write its unit.
- 37. State Faraday's laws of electromagnetic induction.
- 38. An aircraft having a wing span of 20.48 m flies due north at a speed of $40 \,\mathrm{ms}^{-1}$. If the vertical component of earth's magnetic field at the place is 2×10^{-5} T, calculate the *e.m.f.* induced between the ends of the wings.
- 39. Why does the sky appear blue in colour?
- 40. In Young's experiment, the width of the fringe obtained with light of wavelength 6000 Å is 2 mm. Calculate the fringe width if the entire apparatus is immersed in a liquid of refractive index 1.33.
- 41. Write the principle of Millikan's oil drop experiment.
- 42. Calculate the longest wavelength that can be analysed by a rock salt crystal of spacing d = 2.82 Å in the first order.
- 43. Write any three uses of photoelectric cells.
- 44. What is pair production and annihilation of matter?
- 45. Write any three properties of neutron.
- 46. Define input impedance of a transistor connected in common emitter mode.
- 47. When the negative feedback is applied to an amplifier of gain 50, the gain falls to 25. Calculate the feedback ratio.
- 48. Draw the circuit diagram for OR gate using diodes.
- 49. What is an extrinsic semiconductor?
- 50. Write any three applications of RADAR.

PART - III

- N. B.: i) Answer the Question No. 60 compulsorily.
 - ii) Answer any six of the remaining 11 questions,
 - iii) Draw diagrams wherever necessary.

 $7 \times 5 = 35$

- 51. Three capacitors each of capacitance 9 pf are connected in series. (i) What is the total capacitance of the combination? (ii) What is the potential difference across each capacitor if the combination is connected to 120 V supply?
- 52. Obtain the condition for bridge balance in Wheatstone's bridge.
- 53. State and verify Faraday's second law of electrolysis.
- 54. A rectangular coil of 500 turns and of area 6×10^{-4} m² is suspended inside a radial magnetic field of induction 10^{-4} T by a suspension wire of torsional constant 5×10^{-10} Nm per degree. Calculate the current required to produce deflection of 10° .
- 55. What are the reasons for various energy losses in a transformer? Explain how they can be minimised.
- 56. State and prove Brewster law.
- 57. Mention any five properties of X-rays.
- 58. Derive Einstein's photoelectric equation.
- 59. Explain time-dilation with an example.
- 60. Find the energy released when two $_1$ H 2 nuclei fuse together to form a single $_2$ He 4 nucleus. Given the binding energies per nucleon of $_1$ H 2 and $_2$ He 4 are $_1\cdot 1$ MeV and $_2\cdot 0$ MeV respectively.

OR

A reactor is developing energy at the rate of 32 MW. Calculate the required number of fissions per second of $_{92}$ U 235 . Assume that energy per fission is 200 beeV.

- 61. Explain the working of a bridge rectifier with a neat circuit diagram.
- 62. Write the advantages and disadvantages of digital communication.

PART - IV

- N. B.: i) Answer any four questions in detail.
 - ii) Draw diagrams wherever necessary.

 $4 \times 10 = 40$

- 63. What is an electric dipole? Derive an expression for the electric field due to an electric dipole at a point on its axial line.
- 64. Derive an expression for the magnetic induction due to an infinitely long straight conductor carrying current. Write the expression for the magnetic induction when the conductor is placed in a medium of permeability μ .
- 65. A source of an alternating e.m.f. is connected to a series combination of a resistor R_1 , an inductor L and a capacitor C. Obtain with the help of a voltage phasor diagram and impedance diagram, expressions for
 - i) effective voltage
 - ii) the impedance
 - iii) phase relationship between the current and voltage.
- 66. On the basis of wave theory, explain total internal reflection. Write the conditions for the total internal reflection to take place.
- 67. Draw a neat diagram of He Ne laser and explain its working with the help of energy level diagram.
- 68. Describe the principle and action of a Bainbridge mass spectrometer in determining the isotopic masses.
- 69. Sketch the circuit of a Colpitts oscillator and explain its working.
- 70. Make an analysis of amplitude modulated wave. Plot the frequency spectrum.