

A

2012-GG

Test Paper Code: GG

Time: 3 Hours Maximum Marks: 300

INSTRUCTIONS

- This question-cum-answer booklet has X pages and has 44 questions. Please ensure that the copy of the question-cum-answer booklet you have received contains all the questions.
- Write your Registration Number, Name and the name of the Test Centre in the appropriate space provided on the right side.
- Write the answers to the objective questions against each Question No. in the Answer Table for Objective Questions, provided on Page No. Y. Do not write anything else on this page.
- 4. Each objective question has 4 choices for its answer: (A), (B), (C) and (D). Only ONE of them is the correct answer. There will be negative marking for wrong answers to objective questions. The following marking scheme for objective questions shall be used:
 - (a) For each correct answer, you will be awarded 3 (Three) marks.
 - (b) For each wrong answer, you will be awarded -1 (Negative one) mark.
 - (c) Multiple answers to a question will be treated as a wrong answer.
 - (d) For each un-attempted question, you will be awarded **0** (Zero) mark.
 - (e) Negative marks for objective part will be carried over to total marks.
- 5. Answer the subjective question only in the space provided after each question.
- 6. Do not write more than one answer for the same question. In case you attempt a subjective question more than once, please cancel the answer(s) you consider wrong. Otherwise, the answer appearing last only will be evaluated.
- All answers must be written in blue/black/blueblack ink only. Sketch pen,pencil or ink of any other colour should not be used.
- 8. All rough work should be done in the space provided and scored out finally.
- No supplementary sheets will be provided to the candidates.
- Clip board, log tables, slide rule, calculator, cellular phone and electronic gadgets in any form are NOT allowed.
- 11. The question-cum-answer booklet must be returned in its entirety to the Invigilator before leaving the examination hall. Do not remove any page from this booklet.
- Refer to special instructions/useful data on the reverse.

2012-GG

READ INSTRUCTIONS ON THE LEFT SIDE OF THIS PAGE CAREFULLY

REGISTRATION NUMBER					
Name	e:				
Test Centre:					

Do not write your Registration Number or Name anywhere else in this question-cum-answer booklet.

I have read all the instructions and shall abide by them.
Signature of the Candidate

I have verified the information filled by the Candidate above.
Cignostrus of the Invisitator
Signature of the Invigilator

A

Special Instructions/ Useful Data

Man Single Registration of the second second

IMPORTANT NOTE FOR CANDIDATES

- Questions 1-30 (objective questions) carry three marks each and questions 31-44 (subjective questions) carry fifteen marks each.
- Write the answers to the objective questions in the Answer Table for Objective Questions provided on page Y only.
- Q.1 Match the properties in **Group I** with mineral names in **Group II**.

Group II 1. Talc P. Luminescence under UV light O. Pisolitic structure 2. Galena R. Soapy feel 3. Scheelite S. High specific gravity 4. Bauxite

(A) P-3, Q-2, R-1, S-4 (C) P-3, Q-4, R-1, S-2

(B) P-2, O-4, R-3

(D) P-4, O-3, R-2, S-1

Q.2 Match the economic deposits in **Group I** with their Indian occurrences in **Group II**.

Group I **Group II** P. Coal 1. Balaghat 2. Koderma Q. Manganese R. Magnesite 3. Talcher S. Mica 4. Salem

(A) P-4, Q-1, R-3, S-2 (C) P-4, O-3, R-2, S-1

(B) P-2, Q-1, R-4, S-3

(D) P-3, O-1, R-4, S-2

- Q.3 Extensive hydrothermal alteration is generally associated with
 - (A) Stratiform chromite deposit
 - (B) Quartz-pebble conglomerate-hosted gold deposit
 - (C) Superior-type iron deposit
 - (D) Porphyry copper deposit
- 0.4 Match the structural processes in **Group I** with their products in **Group II**.

Group I

Group II

P. Pressure solution

1. Boudin

Q. Layer-parallel extension

2. Bending fold 3. Ptygmatic fold

R. Layer-perpendicular shortening S. Layer-parallel shortening

4. Stylolite

(A) P-4, Q-2, R-3, S-1

(B) P-3, Q-2, R-4, S-1

(C) P-4, Q-1, R-2, S-3

(D) P-2, Q-1, R-3, S-4

- Q.5 A silica undersaturated plutonic igneous rock is
 - (A) Nepheline syenite (B) Granodiorite
- (C) Anorthosite
- (D) Syenite
- Q.6 The metamorphic facies series that best characterizes a subduction-zone tectonic setting is
 - (A) Prehnite-Pumpellyite \rightarrow Blueschist \rightarrow Eclogite

- (B) Albite-Epidote hornfels \rightarrow Hornblende hornfels \rightarrow Pyroxene hornfels \rightarrow Sanidinite
- (C) Greenschist \rightarrow Amphibolite \rightarrow Granulite
- (D) Pyroxene hornfels \rightarrow Granulite \rightarrow Eclogite
- 0.7 Match the fold types in **Group I** with inter-limb angles of folds in **Group II**.

Group I	Group II
P. Tight	1. 0°
Q. Open	2. 120° – 70°
R. Isoclinal	$3.70^{\circ} - 30^{\circ}$
S. Close	$4.30^{\circ} - 0^{\circ}$

(A) P-1, Q-2, R-3, S-4 (C) P-3, Q-2, R-4, S-1

- (B) P-4, Q-2, R-1, S-3
- (D) P-3, Q-2, R-1, S-4
- Q.8 Match the definitions of magmatic bodies in **Group I** with their nomenclature in **Group II**.

Group I

- **Group II** 1. Phacolith
- P. Concordant intrusive body with a flat base and domed roof
- Q. Plutonic igneous body with an aerial extent $> 100 \text{ km}^2$
- 2. Lopolith
- R. Large, conformable, saucer-shaped layered intrusive body
- 3. Batholith
- S. Lens-shaped pluton that occupies the crest of an antiform or trough of a synform
- 4. Laccolith

(A) P-1, Q-2, R-3, S-4

(B) P-2, Q-3, R-1, S-4 (D) P-4, Q-3, R-2, S-1

(C) P-4, Q-1, R-3, S-2

- Arrange the following silicate minerals in order of increasing sharing of (SiO₄)⁴⁻ tetrahedra. 0.9
 - (A) Olivine, Augite, Hornblende, Muscovite, Orthoclase
 - (B) Orthoclase, Muscovite, Hornblende, Augite, Olivine
 - (C) Olivine, Hornblende, Augite, Muscovite, Orthoclase
 - (D) Orthoclase, Augite, Hornblende, Muscovite, Olivine
- Q.10 Match the crystallographic axes and their angular orientations in **Group I** with corresponding crystal systems in Group II

Group I

Group II

P.
$$a \neq b \neq c$$
, $\alpha = \beta = \gamma = 90^{\circ}$

- Q. $a = b \neq c$, $\alpha = \beta = \gamma = 90^{\circ}$
- 2. Isometric
- R. $a \neq b \neq c$, $\alpha = \gamma = 90^{\circ}$, $\beta \neq 90^{\circ}$
- 3. Tetragonal
- S. a = b = c, $\alpha = \beta = \gamma = 90^{\circ}$
- 4. Orthorhombic

(A) P-1, Q-3, R-4, S-2

(B) P-4, Q-2, R-1, S-3

(C) P-3, Q-2, R-1, S-4

- (D) P-4, Q-3, R-1, S-2
- Match igneous rocks in **Group I** with their most common textures in **Group II**. 0.11

Group I

Group II

P. Komatiite O. Dolerite

1. Porphyritic 2. Spinifex

R. Lamprophyre

3. Ophitic

S. Andesite

4. Panidiomorphic

(A) P-3, Q-1, R-2, S-4

(B) P-2, Q-1, R-4, S-3

	(C) P-4, Q-3, R-1, S-2		(D) P-2, Q-3, R-4,	S-1
Q.12	A snowball garnet is ar	example of		
	(A) Inter-kinematic min (B) Syn-kinematic min (C) Post-kinematic min (D) Pre-kinematic mine	eral growth eral growth		
Q.13	The number of crystal	faces in a rhombohedr	on is	
	(A) 4	(B) 6	(C) 12	(D) 16
Q.14	Match the following vo Group I P. Malani Rhyolite Q. Dalma Volcanics R. Panjal Trap S. Rajmahal Trap	Group 1	Paleoproterozoic	neir given ages in Group II
	(A) P-4, Q-1, R-2, S-3 (C) P-2, Q-4, R-1, S-3		(B) P-1, Q-4, R-3, (D) P-4, Q-3, R-2,	
Q.15	Match mineral textures Group I P. Replacement of coes Q. Crystallographically R. Graphic intergrowth S. Cross-hatched twinn	site by quartz oriented lamellae of a of orthoclase and qua	Groalbite in orthoclase 2. artz 3.	oup II Polymorphic transformation Exsolution Eutectic crystallization Cation ordering
	(A) P-1, Q-2, R-3, S-4 (C) P-4, Q-2, R-3, S-1	S	(B) P-2, Q-4, R-3, (D) P-2, Q-1, R-4,	
Q.16	Match the lithological Group I P. Massive granite Q. Shale R. Clayey sandstone S. Gravelly sandstone	units in Group I with	hydrogeological nome Group II 1. Aquitard 2. Aquifer 3. Aquiclude 4. Aquifuge	enclature in Group II.
	(A) P-1, Q-2, R-3, S-4 (C) P-4, Q-3, R-1, S-2		(B) P-1, Q-4, R-3, (D) P-2, Q-1, R-4,	
Q.17	Geiger Müller counter	is commonly used for	the exploration of	
	(A) Bauxite deposit	(B) Pb-Zn deposit	(C) Uranium depo	sit (D) Iron ore deposit
Q.18	Decay of which one of	the following isotopes	s can be used for dating	g Archean rocks?
	$(A)^{14}C$	$(B)^{10}Be$	(C) ¹⁴⁷ Sm	(D) ²¹⁰ Pb

Q.19	The mass movement process in which cohesive blocks of earth move on a failure plane with concave-up geometry, is known as			
	(A) Debris flow(C) Rotational slide		(B) Creep (D) Translational sli	de
	(c) Rotational since		(D) Translational Sil	do
Q.20	Which one of the follo	owing tunnel alignmen	ats is considered geologic	ally favorable?
	(B) Tunnel through th(C) Tunnel through a	e core of an antiform synform with tunnel-	ith parallel tunnel- and fo with parallel tunnel- and t and fold axes perpendicul - and fold axes perpendic	fold axes ar to each other
Q.21		n Group I with causa	tive processes in Group	п.
	Group I		Group II	
	P. Yardang		1. Aeolian	
	Q. Drumlin		2. Coastal	
	R. Doline		3. Dissolution	
	S. Chenier		4. Glacial	
	(A) P-1, Q-2, R-3, S-4		(B) P-1 O-4 R-3 S	-2
	(C) P-4, Q-3, R-1, S-2		(B) P-1, Q-4, R-3, S (D) P-4, Q-3, R-2, S	-1
	(0)1 1, \(\), \(\text{1}, \(\)	•	(2)1 1, \(\frac{2}{3}\), \(\frac{1}{2}\), \(\frac{1}{3}\)	•
Q.22	Which one of the folloterrain?	owing drainage patterr	is is typical of a doubly p	lunging antiformal
	(A) Dendritic	(B) Trellis	(C) Rectangular	(D) Radial
Q.23	Which one of the follo	owing features is NOT	associated with an ocean	nic subduction?
	(A) Sea-mount	(B) Benioff zone	(C) Back-arc	(D) Fore-arc
Q.24	The term isostasy refe	rs to		
	(A) gravitational equil	ibrium		
	(B) thermal equilibriu			
	(C) magnetic equilibri			
	(D) electrical equilibri	um		
Q.25	•	y structures in Group	*	eir formation in Group II.
	Group I		Group II	
	P. Flute cast		1. Fluctuating current	
	Q. Convolute laminati	on	2. Exposure	
	R. Rain print		3. Erosion	
	S. Flaser bedding		4. Syn-depositional def	ormation
	(A) P-3, Q-4, R-1, S-2		(B) P-1, Q-3, R-2, S	S-4
	(C) P-4, Q-3, R-1, S-2		(D) P-3, Q-4, R-2, S	S-1

In which depositional e	environment are the sand	grains best sorted and ro	ounded?
(A) Glacial	(B) Aeolian	(C) Fluvial	(D) Deep marine
Which one of the follow	wing fossils is found in r	ocks of Cambrian age?	
(A) Redlichia	(B) Fenestella	(C) Syringothyris	(D) Otoceras
Group I P. Masticatory apparatu Q. Triangular cavity ne R. Calcareous secretion S. Genital plate in Echi	us in Echinoidea ar umbo of Brachiopoda as in siphuncle of Cephal	Group II 1. Cameral d 2. Madrepori 3. Delthyriur 4. Aristotle's	leposits te
(C) P-3, Q-4, R-2, S-1		(D) P-4, Q-2, R-3, S-1	
Which one of the follow	wing flora represents Up	per Gondwana?	
(A) Noeggerathiopsis	(B) Gangamopteris	(C) Dicroidium	(D) Vertebraria
Which one of the follow	wing is a Primate fossil?		
(A) Hipparion	(B) Ramapithecus	(C) Equus	(D) Stegolophodon
	(A) Glacial Which one of the follow (A) Redlichia Match the morphologic Group I P. Masticatory apparate Q. Triangular cavity ne R. Calcareous secretion S. Genital plate in Echi (A) P-3, Q-4, R-1, S-2 (C) P-3, Q-4, R-2, S-1 Which one of the follow (A) Noeggerathiopsis Which one of the follow (A) Hipparion	(A) Glacial (B) Aeolian Which one of the following fossils is found in r (A) Redlichia (B) Fenestella Match the morphological features described in Group I P. Masticatory apparatus in Echinoidea Q. Triangular cavity near umbo of Brachiopoda R. Calcareous secretions in siphuncle of Cephal S. Genital plate in Echinoidea (A) P-3, Q-4, R-1, S-2 (C) P-3, Q-4, R-2, S-1 Which one of the following flora represents Up (A) Noeggerathiopsis (B) Gangamopteris Which one of the following is a Primate fossil?	Which one of the following fossils is found in rocks of Cambrian age? (A) Redlichia (B) Fenestella (C) Syringothyris Match the morphological features described in Group I with their name Group I P. Masticatory apparatus in Echinoidea 1. Cameral d Q. Triangular cavity near umbo of Brachiopoda 2. Madrepori R. Calcareous secretions in siphuncle of Cephalopoda 3. Delthyriur S. Genital plate in Echinoidea 4. Aristotle's (A) P-3, Q-4, R-1, S-2 (B) P-4, Q-3, R-1, S-2 (C) P-3, Q-4, R-2, S-1 (D) P-4, Q-2, R-3, S-1 Which one of the following flora represents Upper Gondwana? (A) Noeggerathiopsis (B) Gangamopteris (C) Dicroidium Which one of the following is a Primate fossil? (A) Hipparion (B) Ramapithecus (C) Equus

Answer Table for Objective Questions


Write the Code of your chosen answer only in the 'Answer' column against each Question No. Do not write anything else on this page.

Question No.	Answer	Do not write in this column	Question No.	Answer	Do not write in this column
01			16		
02			17		
03			18	_(
04			19	O	
05			20	(O)	
06			21	2,	
07			22		
08			23		
09		4	24		
10		CÀ	25		
11			26		
12		.67	27		
13		KO,	28		
14		5	29		
15		4.	30		

FOR EVALUATION ONLY

No. of Correct Answers		Marks	(+)
No. of Incorrect Answers		Marks	(-)
Total Marks in Question Nos. 1-30			()

(a) Shown below are textures of two magmatic rocks in Figures A and B. These rocks were produced by equilibrium crystallization of two separate melt compositions. An isobaric T-composition phase diagram in the system Mg₂SiO₄-SiO₂ is shown in Figure C. Mineral abbreviations used in the Figures are as follows: Opx = orthopyroxene, Qtz = quartz, Olv = olivine, Fo = Forsterite, En = Enstatite, Cr = Cristobalite, L = Melt.



Now answer the following questions.

(i) Using the phase diagram in Figure C, write the nature of melt compositions, which has given rise to these rocks.


(ii) Which rock in the above Figures indicates final crystallization at point Y?

(6+3)

(b) (i) Calculate the variance of the point X in Figure C.

(ii) What is its petrological name?

(a) The optic axis interference figure of a hypothetical uniaxial mineral is shown below. The mineral has indices of refraction (R.I.s) of 1.54 and 1.55. The colors in the different quadrants of the interference figure reflect the effects of insertion of gypsum (Gyps) plate, the fast vibration direction of which is marked in the figure.




- (i) What is the optic sign of the mineral?
- (ii) State the value of the R.I. of the mineral, corresponding to its E-ray (n_{ϵ}) .
- (iii) What is the value of the birefringence of the mineral in the optic orientation shown in the figure above?

(3+3+3)

- (b) (i) Name the optical indicatrix of garnet.
 - (ii) State two diagnostic optical properties, which distinguish diopside from hornblende.

(a) The schematic map below shows the distribution of mineral assemblages (shown by open symbols) in a regionally metamorphosed rock (X) of uniform bulk rock composition. Also marked in the map are two lines striking ENE-WSW, which mark change-over from one mineral assemblage field to the other. Based on the nature of the mineral assemblages, these lines subdivide the mapped area into three regions: A, B and C.



- (i) Name the bulk rock composition of X
- (ii) Name the metamorphic facies for regions A, B and C.

(3+6)

- (b) (i) Name the mineral assemblage that is likely to develop in a normal pelite, corresponding to the metamorphic condition in region C of the above figure.
 - (ii) Name the metamorphic facies series that best explains the progressive variation in metamorphic conditions across regions A, B and C in the figure above.

(a) i) Arrange the following formations of Mesozoic succession of Kutch in order of increasing age:

Bhuj Formation, Patcham Formation, Chari Formation, Katrol Formation, and Umia Formation.

- ii) Which one of the above mentioned formations contains oolitic limestone?
- iii) To which formation does Umia Plant Bed belong?

(3+3+3)

- (b) Name the two Cenozoic stratigraphic units of northeastern India, the attributes of which are briefly described below in i) and ii).
 - i) The unit is of Oligocene age and consists of sandstone, shale and coal.
 - ii) The Eocene limestone unit containing Nummulites and Discocyclina.

- (a) (i) Arrange the following stratigraphic units of northwestern India, in order of younging age:
 - Erinpura Granite, Banded Gneissic Complex of southern Rajasthan, Delhi Supergroup, Aravalli Supergroup, and Raialo Group.
 - (ii) In which of the stratigraphic units of (i) does the Jhamarkotra phosphorite deposit occur?



(b) Name an acidic and a mafic volcanic stratigraphic unit in the Nandgaon Group of central India.

(6+3)


- (a) (i) Write the Goldich Dissolution Series, indicating relative weathering potential of silicate minerals.
 - (ii) Complete the weathering reaction representing the hydrolysis of orthoclase feldspar.
 - $2 \text{ KAlSi}_{3}O_{8} + 2 \text{ CO}_{2} + 11 \text{ H}_{2}O = 2 \text{ K}^{+} + \dots + 4 \text{ H}_{4}\text{Si}O_{4} + \dots$

(6+3)

- (b) (i) What is a braided river?
 - (ii) List any three essential conditions that promote its formation.

(3+3)

(a) The figure below shows stress-strain curves for two rocks, designated as X and Y. Based on the characteristics of the curves, answer the following questions.



- (i) What is the mode of failure for Y?
- (ii) What do the regions 'm' and 'n' represent?
- (iii) What do the points 'p', 'q' and 'r' represent?

(3+3+3)

(b) A sandstone core of 15 cm length and cross-sectional area of 25 cm² was evaluated for permeability, using a constant head permeameter. For a hydraulic head of 5 cm, a total of 100 ml of water was collected in 10 minutes. Estimate hydraulic conductivity (cm/min) using the Darcy's equation, Q = K.A.(dh/dl), where Q = discharge (cm³/min), K = hydraulic conductivity (cm/min), A = cross-sectional area (cm²) and (dh/dl) = hydraulic head.

(a) Consider the following bivalves:

Pecten, Mytilus, Lima, Lithophaga, Spondylus, Mya, Ostrea, Tridacana, Posidonia, Solen, Teredo.

From the list above, find out one example each of the following types:

- (i) a boring bivalve
- (ii) an epifaunal, bysally attached bivalve
- (iii) an infaunal deep burrowing bivalve

(3+3+3)

(b) Write the distinguishing features of heterodont and desmodont dentitions in Bivalvia.

- (a) A bauxite deposit is found to occur above granite. Answer the following questions.
 - (i) Write the names of two characteristic minerals found in bauxite.
 - (ii) Which mineral in granite predominantly contributes Al to bauxite?
 - (iii) What climatic conditions are favorable for the formation of bauxite?

(3+3+3)

- (b) (i) Name a diamondiferous igneous rock.
 - (ii) Name an occurrence of diamond deposit in the Vindhyan Basin.

(3+3)

- (a) (i) Name four basic allochemical and two orthochemical constituents of limestone.
 - (ii) Arrange the following limestones in order of decreasing depositional energy conditions:

Packstone, Grainstone, Mudstone, Wackestone

(b) (i) What is textural maturity of sandstone?

(ii) Name a sandstone that is texturally and mineralogically mature.

(3+3)


(6+3)


(a) In a sulfur crystal, the face 'A' with Miller indices (111) intersects the mutually perpendicular crystallographic axes at 4, 5 and 10 Å. Calculate the Miller indices of another face 'B' that intersects the crystallographic axes at 12, 15 and 10 Å, respectively?

(9)

- (b) (i) What is the form symbol of a dodecahedron?
 - (ii) How many crystal faces are present in it?

(a) The outcrop patterns of three folds are shown in figures p, q and r. The arrow in each figure indicates the attitude of the fold axis.








Figure r

(i) Name the folds in figures p, q and r. Give justifications.

(3+3+3)

(b) (i) Write the difference between a vertical and an upright fold.

(ii) Define a plane non-cylindrical fold.


- (a) (i) What is a meteorite?
 - (ii) What are the two major groups of stony meteorites?

(3+3)

- (b) (i) What is a "Seismic Shadow Zone"?
 - (ii) Give the arc range (in degrees) of S-wave shadow zone.
 - (iii) What important information about the Earth's core does the S-wave shadow zone provide?

(3+3+3)

(a) Shown below is a geological section along with its legend. Examine the section and answer the questions given below.



(i) Name the type of faults X-Y and C-D and give justifications.

(ii) State the temporal relationship of the granite emplacement with the two phases of faulting mentioned above.

[(3+3)+3]

(b) Name the unconformity surfaces P-Q-R-S-T-U and M-N

(3+3)

Man Sila Rider River Sila River Report Repor

Man State of the Collins of the Coll

2012 - GG Objective Part		
(Q. Nos. 1 – 30) Total Marks Signature		

Subjective Part				
Q. No	Marks	Q. No.	Marks	0
31		38)
32		39	*	
33		40	110	
34		41	0.	
35		42		
36		43		
37		44		
	Total Marks in			

Total (Objective Part)	
Total (Subjective Part)	
Grand Total	
Total Marks (in words)	
Signature of Examiner(s)	
Signature of Head Examiner(s)	
Signature of Scrutinizer	
Signature of Chief Scrutinizer	
Signature of Coordinating Head Examiner	