00042

Entrance Test for M.Sc. Life Science Programme 2011 June, 2011

Name _____

Enrolment No.

Total No. of Questions : 150

Time : 3 Hours

• All questions are *Compulsory*.

- Use of calculator is *not allowed*. Rough work may be done in the space provided at the back of the Test Booklet.
- Read the instructions given on the OMR Response Sheet carefully before you start.

How to fill up the information on the OMR Response Sheet

(Examination Answer Sheet)

- 1. Write your complete enrolment no. in 9 digits. This should correspond to the enrolment number indicated by you on the OMR Response Sheet. Also write your correct name, address with pin code in the space provided. Put your signature on OMR Response Sheet with date. Ensure that the Invigilator in your examination hall also puts his /her signature with date on the OMR Response Sheet at the space provided.
- 2. On the OMR Response Sheet student's particulars are to be filled in by pen. However use HB pencil for writing the Enrolment No. and Examination Centre Code as well as for blackening the circle bearing your choice of answer number against the serial number of the question.
- 3. Do not make any stray remarks on this sheet.
- 4. Write correct information in numerical digit in Enrolment No. and Examination Centre Code columns. The corresponding circle should be dark enough and should be filled in completely.
- 5. Each question is followed by four probable answers which are numbered 1, 2, 3 and 4. You should select and show only one answer to each question considered by you as the most appropriate or the correct answer. Then by using HB pencil, blacken the circle bearing your choice of answer number against the serial number of the question. (If you find that answer to any question is none of the four alternatives given under the question, you should darken the circle with '0')
- 6. If you wish to change your answer, ERASE completely the already darkened circle by using a good quality eraser and then blacken the circle bearing your revised answer number. If incorrect answer is not erased completely, smudges will be left on the erased circle and the question will be read as having two answers and will be ignored for giving any credit.
- 7. No credit will be given if more than one answer is given for one question. Therefore, you should select the most appropriate answer.

GENERAL INSTRUCTIONS

- 1. No cell phones, calculators, books, slide-rules, note-books or written notes, etc. will be allowed inside the examination hall.
- 2. You should follow the instructions given by the Centre Superintendent and by the Invigilator at the examination venue. If you violate the instructions, you will be disqualified.
- 3. Any candidate found copying or receiving or giving assistance in the examination will be disqualified.
- 4. The Test Booklet and the OMR Response Sheet (Answer Sheet) would be supplied to you by the Invigilators. After the examination is over, you should hand over the OMR Response Sheet to the Invigilator before leaving the examination hall. Any candidate who does not return the OMR Response Sheet will be disqualified and the University may take further action against him/her.
- 5. All rough work is to be done on the test booklet itself and not on any other paper. Scrap paper is not permitted. For arriving at answers you may work in the margins, make some markings or underline in the test booklet itself.
- 6. The University reserves the right to cancel scores of any candidate who impersonates or uses/adopts other malpractices or uses any unfair means. The examination is conducted under uniform conditions. The University would also follow a procedure to verify the validity of scores of all examinees uniformly. If there is substantial indication that your performance is not genuine, the University may cancel your score.
- 7. In the event of your qualifying the Entrance Test, the hall ticket should be enclosed with your admission form while submitting it to the University for seeking admission in M.Sc. (Life Sciences) Programme along with your testimonials and programme fee. Admission forms received without hall ticket in original will be summarily rejected.

1. The most variable period of the cell cycle is : (1) S-phase (2) G 1-phase (3) G 2-phase (4) G 0-phase 2. Which of the following does not constitute the cytoskeletal system ? Microtubules (2)Microbodies Centrioles **Microfilaments** (1)(3) (4) 3. If a mother has blood group 'B' homozygous and father has 'A' unknown then the possible blood group of the progeny can be : (2)(1)AB and B AB and A (3)A + B(4)Ο 4. Estuaries are considered nutrient traps of : Rivers and Oceans **Rivers** (1)(2) (3)Lakes (4)Lakes and Oceans 5. Phytoplanktons are dominant in which of the following freshwater zones ? (1)Limnetic zone (2)Profundal zone Aphotic zone (3) Littoral zone (4) 6. Complete photosynthetic apparatus of chloroplast necessary for photosynthesis is coded by : (1)nuclear gene (2)chloroplast gene (4)chloroplast and mitochondrial gene nuclear and chloroplast gene (3)7. Out of the five major types of collagen molecules, which of the following is not found in the connective tissue of vertebrates ? (2) Type - 2 (4) (1)Type - 1 (3) Type - 3 Type - 4 8. The process of meiotic cell division in a primary sex cell in a human male usually gives rise to : (1)one diploid cell (2) four monoploid cells four diploid cells (3)one monoploid cell (4)

- **9.** During opening of stomata which ions are transported from neighbouring cells to guard cells :
 - (1) K^+ ion (2) Cl^- ion (3) Na^+ ion (4) Ca^{++} ions
- 10. Concentration of urine in mammals depends on :
 - (1) Glomerulus's (2) Length of Henley's loop
 - (3) Osmotic pressure of blood (4) Size of organism
- **11.** If mutation changes codon in such a way that there is no effect on functioning and overall structure of protein. This type of mutation is termed as :
 - (1) Silent (2) Mis-sense (3) Transition (4) Frameshift
- 12. Age of the fossils with an organic content in them can be determined by the use of :
 - Radioactive carbon
 Serology
 Calorimetery
 Chromatography
- **13.** In meiosis crossing over occurs during :
 - (1) Prophase I (2) Prophase II
 - (3) Metaphase (4) Anaphase
- 14. If the Km of enzyme for substrate A is 1×10^{-6} and for substrate B is 4×10^{-8} , it means :
 - (1) Enzyme has more affinity for substrate A than substrate B
 - (2) Enzyme has more affinity for substrate B than substrate A
 - (3) Enzyme has equal affinity for substrate A and substrate B
 - (4) Enzyme is non specific
- 15. Resolving power of scanning electron microscope is :
 - (1) 0.001 nm (2) 0.01 nm (3) 0.1 nm (4) 0.0001 nm

M.Sc. Life Science/June 2011 5

P.T.O.

- 16. Neurodegeneration leads to all of the following, except :
 - (1) Alzheimer's disease (2) Schizophrenia
 - (3) Parkinson's disease (4) Retinoblastoma

17. The definitive evidence in favor of common descent for all living beings is :

- (1) That they all contain RNA (2) The universality of DNA as the genetic material
- (3) The universality of genetic code (4) That they all use carbohydrate as energy source
- **18.** If the partial nucleotide sequence of a gene is 5' TTGCATTACCGGCTAT 3', the corresponding mRNA sequence will be :
 - (1) 5' ATAGCCGGTAATGCAA 3' (2) 5' AACGUAAUGGCCGAUA 3'
 - (3) 5' AACGTAA'IGGCCGATA 3' (4) 5' UUAGCCGGUAAUGCAA 3'

19. Which one of the following is **not** a characteristic of a bacterial cell wall ?

- (1) It harbors the electron transport chain
- (2) It defines the size and shape of the bacterium
- (3) It contains modified sugars
- (4) Sometimes it contributes to its pathogenic function
- **20.** When a mouse cell was placed in a solution, the cell volume increased. Thus, as compared to the cell, the solution is :
 - (1) Hypertonic (2) Isotonic (3) Hypotonic (4) Mesotonic
- 21. Which one of the following stains is used to detect *Mycobacterium* species ?
 - (1) Acid fast stain (2) Fuchsin stain (3) Gram stain (4) Giemsa stain
- 22. The post translational modification commonly found in the praline residues of a protein is :
 - (1) Methylation (2) Acetylation (3) Hydroxylation (4) Phosphorylation

23.	Duri	ing photosynthes	is, ligł	nt reactions produ	ice :	•		
	(1)	GTP	(2)	NADH	(3)	FADH ₂	(4)	NADPH

24. Human mitochondria are :

- (1) Generated de novo in the zygote (2) Inherited from the father
- (3) Inherited from both parents (4) Inherited from the mother

25. When the genome of a bacteriophage is integrated into a cellular genome, it is called a :

- (1) Lytic virus (2) Prophage
- (3) Transducing virus (4) Microphage

26. What is allele ?

- (1) A physical location on chromosome
- (2) Different genes present on different chromosomes
- (3) Alternate form of the same gene
- (4) Different gene encoding different subunits of a heteromeric enzyme

27. Which one of the following is found only in animal cells ?

- (1) Plastids (2) Mitochondria (3) Golgi apparatus (4) Centrioles
- 28. Synaptic transmission is an example of which type of signaling ?
 - (1) Endocrine (2) Paracrine (3) Autocrine (4) Neurocrine

29. Which one of the following is *not* an immediate event following activation of cell surface receptors ?

- (1) GTP hydrolysis (2) Tyrosine phosphorylation
- (3) Receptor dimerization (4) Acetylation of histories

30.	'Kozak' consensus sequence is a characteristic of :							
	(1)	Gene promoter	(2)	Origin of replication				
	(3)	5' - UTR of eukaryotic mRNA	(4)	3' - UTR of eukaryotic mRNA				
31.	The	evolution of a new species is calle	ed :					
	(1)	Differentiation (2) Ontogen	у	(3) Organogenesis (4) Speciation				
32.	Whi rela	ich of the molecular methods for a tedness ?	issessii	ing similarity gives the crudest approximation o	of			
	(1)	DNA hybridization	(2)	PCR				
	(3)	16S rDNA sequencing	(4)	DNA - base composition				
33.		proplast and mitochondria contair	ו DNA	A. This supports the concept of :				
	(1)	Chromosomal mutation	(2)	Cytoplasmic inheritance				
	(3)	Transformation	(4)	Multiple alleles				
34.	Whi	ich of the following is not a micro	nutrie	ent for plants ?				
	(1)	B (2) Cu		(3) Zn (4) Ca				
35.	The	most important event in apoptosi	s invol	blves :				
	(1)	Discrete lesions in cell membran	ie					
	(2)	Loss of cell membrane						
	(3)	Loss of phosphatidylserine from	n mem	nbranes				
	(4)	DNA fragmentation						
36.		ural genetic engineer, is a term use		·:				
	(1)	Agrobacterium (2) Azotobact	er	(3) Azospirullum (4) Aspergillus				
M.S	c. Lif	e Science/June 2011	8					

- 37. In BT cotton, the active ingredient that kills insect is :
 - (1) Bacterial toxin (2) Alkaloids (3) Terpenoids (4) Salicylic acid

38. Photosystem I is essential for the production of :

- (1) ATP (2) Plastoquinol (3) NADH (4) FMNH
- **39.** In photorespiration, CO₂ is released from :
 - (1) Mitochondria (2) Chloroplast (3) Peroxisome (4) Glyoxisome

40. Sickle - cell anemia is caused by :

- (1) Viral infection of red blood cells
- (2) Amino acid substitution in the hemoglobin molecule
- (3) Excessive diphosphoglycerate
- (4) Deficiency of biotin

41. A student has written his name on the trunk of a tree at a height of 100 cm from the soil. If the tree grows by 15 cm every year, where will be his name after three years ?

- (1) At 100 cm from the soil (2) At 130 cm from the soil
- (3) At 115 cm from the soil (4) At 145 cm from the soil
- **42.** Restriction enzymes are :
 - (1) Enzymes that restrict uncontrolled growth of cells which result in cancer
 - (2) Enzymes that restrict DNA synthesis to the minimum necessary level and prevent polyploidy
 - (3) Enzymes that cleave phosphodiester linkages in DNA only at a specific sequence yielding fragments of reproducible sizes
 - (4) Enzymes that cleave polycistronic mRNA to yield individual cistrons
- **43.** The cells involved in the bone formation are :
 - (1) Osteoclast (2) Osteocytes (3) Osteoblast (4) Odontoblast

Citric acid is industrially produced by : 44. Penicillium notatum Saccharomyces cerevisiae (1)(2) (3)Aspergillus niger (4) Pseudomonas aeruginosa 45. Common lesion found in DNA after exposure to ultraviolet light is : pyrimidine dimers single strand break (1)(2) base depletions purine dimers (3) (4)If a subcellular fraction from liver tissue exhibits a high level of acid phosphatase activity, 46. it most likely contains : Nuclei (1)(2)Lysosomes (3)Endoplasmic reticulum (4)Mitochondrion 47. Cells that recall the previous contact with a particular antigen and on further exposure to such an antigen produce a more rapid and larger population of antibodies are : (1)T cells (2)BCGF (3)BCDF (4)Interlukin II How many ATP molecules can be derived from each molecule of acetyl CoA that enters the **48**. Krebs' Cycle ? (1) 6 (2) 12 (3) 18 (4)38 49. The lysosomal sorting signal is : (1)N - acetyl - glucosamine (2)Ran: GTP (3)Mannose - 6 - phosphate (4) Ribose - 6 - phosphate 50. End product of repression differs from feedback inhibition by regulating : (1)Enzyme activity Enzyme synthesis (2) (3) Enzyme stability (4)Enzyme folding

- **51.** All animals belonging to the vertebrate class Mammalia as the whale, the sloth and the squirrel possess :
 - (1) viviparity (2) mammary glands (3) hair (4) swim bladder
- 52. Ammocoetes larva grows into the adult :
 - Petromyzon
 Balanoglossus
 Bufo
 Palaemon

53. In the cell membrane of rod cells of the eye, nerve impulse transmission is initiated by its :

- (1) depolarisation (2) hyperpolarisation
- (3) repolarisation (4) polarisation

54. The components of the plasma membrane responsible for active transport are :

- (1) proteins (2) polar ends of fatty acids
- (3) fatty acid tails (4) only the open channels

55. The correct statement regarding relationship between organisms and physical laws is :

- (1) Life does not obey any physical law
- (2) Life obeys only the first law of thermodynamics or conservation of energy
- (3) Life obeys only the second law of thermodynamics on entropy
- (4) Life obeys both the physical laws of thermodynamics
- **56.** The cells of the stomach lining responsible for altering the pH inside stomach cavity by their secretion are :
 - (1) goblet cells (2) oxyntic cells (3) chief cells (4) mucus cells
- 57. The formation of hyper osmotic urine by human kidneys *does not* involve :
 - (1) Secretion of Anti Diuretic Hormone
 - (2) Vasa recta
 - (3) Passive diffusion of solutes
 - (4) Active transport of Na^+/Cl^-

M.Sc. Life Science/June 2011

11

- 58. Select the pair which does not match :
 - (1) Honey bee : Apiculture
 - (2) Silk worm moth : Sericulture
 - (3) Silver fish : Silviculture
 - (4) Fish : Pisciculture
- **59**. Huntington's chorea has more chances of affecting the bearer of the gene than those possessing Cystic Fibrosis gene because it is caused by a :
 - (1) dominant allele
 - (2) recessive allele
 - (3) co dominant genes
 - (4) multiple alleles
- 60. Amniocentesis and Chorionic villi sampling are screening techniques wherein :
 - (1) base sequence of DNA is checked
 - (2) chromosomes are observed and counted
 - (3) resting nuclei are cytochemically analysed
 - (4) fluid containing dividing nuclei is separated and analysed
- **61.** Choose the correct option.

Broad Spectrum antibiotics do not :

- (1) halt microbial growth
- (2) kill target bacteria
- (3) destroy wide range of bacteria
- (4) kill pathogenic viruses
- **62.** Of the following, the one which is not used as a vector for inserting genes to raise transgenic organisms is :
 - (1) Plasmid (2) Bacteriophage
 - (3) Penicillium notatum (4) Agrobacterium tumefaciens

- 63. Which one of the following pair of terms is not synonymous?
 - (1) Recombinant DNA technology and Genetic Engineering
 - (2) Genetically modified crops and Transgenic crops
 - (3) Restriction enzyme and Restriction endonuclease
 - (4) Virus and bacteriophage
- 64. Eutrophication does not result in :
 - (1) Algal bloom
 - (2) Increase in aerobic decomposers
 - (3) Death of aerobic organisms, such as fish
 - (4) Increase in chlorine content of water

65. Natality means :

- (1) Net increase in the population
- (2) Net decrease in the population
- (3) Production of new individuals in the population
- (4) No change in the population
- **66.** The process by which eventual fate of a population of cells is altered because of interaction with neighbouring cells is called :
 - (1) Embryonic induction
 - (2) Delamination
 - (3) Stem cell culture
 - (4) Morphogenesis
- **67.** Courtship behaviour between male and female stickleback fishes in spring is an example of environmental cues triggering :
 - (1) Territorial behaviour (2) Innate behaviour
 - (3) Learned behaviour (4) Reflex action

68.	Mor	Morphogenetic movements during gastrulation involve :							
	(1)	Pinocytosis	(2)	Phagocyto	sis	(3) Involution		(4)	Phototaxis
69.	The	scientific name o	of mod	ern humans	is :				
	(1)	Homo erectus			(2)	Hom	o sapiens sapien	S	
	(3)	Homo habilis			(4)	Aust	tralopithecus afa	rensis	
70.	One	of the following	featur	es which is	not ty	pical	of birds is :		
	(1)	Syrinx			(2)	Pyge	ostyle		
	(3)	Foramen trioss	eum		(4)	Hon	nodont dentitio	n	
	A F	xx · 1 11							
71.		RH is released by							
	(1)	Anterior pituit	-		(2)		erior pituitary		
	(3)	Hypothalamus	•		(4)	Uter	rus		
72.	If yo	ou wish to see Fe	lis leo i	n their natu	ral su	urroun	dings, you shoı	ıld visit	::
	(1)	Ranthambore			(2)		dhavgarh in M		
	(3)	Simlipal in Ori	ssa		(4)	Sesa	n Gir in Gujara	ıt	
73.									ind. Radha's father peing colour blind ?
	(1)	All sons and a	ll daug	tters					
	(2)	50% sons and	50% d	aughters					
	(3)	All sons but 50)% dau	ighters					
	(4)	50% sons and	all dau	ighters					
F7 A	6	al anomination i		to in mature 1	din te s	J 1			
74.		al organisation in				5	. .		
	(1)	Termites	(2)	Honey bee	2	(3)	Ants	(4)	Mosquitoes

M.Sc. Life Science/June 2011

14

- **75.** The term which explains the evolution of similar features in organisms of two different stocks is :
 - (1) Adaptive Radiation (2) Macro evolution
 - (3) Convergent evolution (4) Divergent evolution

76. GM crops, Bt cotton and Bt brinjal are called so because :

- (1) they produce a toxin which kills boll worms
- (2) they possess a gene responsible for producing a toxin which kills boll worms
- (3) they have recombinant DNA from target crop and a bacterium
- (4) they are named after the bacterium from whom they received a particular gene through genetic engineering

77. In the alcoholics, liver cirrhosis sets in due to the deposition in the hepatic cells, of :

- (1) fat (2) protein (3) starch (4) alcohol
- **78.** When red blood cells are stacked together they :
 - (1) crenate (2) burst
 - (3) form a rouleaux (4) form a column of blood
- 79. Which forms the subsidiary circulatory system ?
 - (1) Mucus (2) Serum (3) Hormones (4) Lymph
- 80. The term used for inadequacy of oxygen in blood is :
 - (1) Anoxia (2) Hypoxia (3) Asphyxia (4) Anorexia


15

- **81.** When impulse arrives at the synapse it first :
 - (1) triggers entry of calcium ions
 - (2) releases Acetylcholine
 - (3) depolarises pre synaptic membrane
 - (4) depolarises post synaptic membrane


M.Sc. Life Science/June 2011

P.T.O.

82. The *incorrect* statement about the part of chromosome labelled \otimes in the diagram given below is :



- (1) it is called primary constriction
- (2) it divides at mitotic anaphase
- (3) it is an indispensible part of the chromosome
- (4) it contains DNA, RNA and proteins
- 83. One of the following is not a consequence of global warming :
 - (1) Melting Ice caps (2) Hurricanes
 - (3) Ozone depletion (4) Drought



The graph shows rate of oxygen use by a person. The point at which lactic acid concentration will be highest is :

- (1) Y (2) Z (3) P (4) Q
- **85.** The allele for right handedness is H and that for left handedness is h. The chances of offspring inheriting left handedness from two left handed parents is :
 - (1) 25% (2) 50% (3) 75% (4) 100%

86. The amount of DNA in the renal cells of a calf was estimated to be 6.4 picograms. The DNA amount in its RBC and sperms would respectively be :

- (1) 6.4 and 3.2 picograms (2) zero and 3.2 picograms
- (3) 3.2 and 3.2 picograms (4) 6.4 and 6.4 picograms

87. The ageing of a lake is accelerated by addition of effluents from homes and industries. This is termed :

- (1) senescence (2) bioaccumulation
- (3) biomagnification (4) eutrophication

88. The inheritance pattern of ABO blood group shows :

- (1) only dominance
- (2) only co dominance
- (3) dominance, co dominance and multiple allelism
- (4) dominance, co dominance and pleiotrophy

89. If 1,000,000 joules of sunlight is available, the energy available to the tertiary consumer will be :


(1) 10 J (2) 100 J (3) 1000 J (4) 10,000 J

90. One of the enzymes which is not involved in DNA replication is :

- (1) Ligase (2) Endonuclease
- (3) DNA Polymerase (4) Lyase

91. The true statement regarding human embryonic development is :

- (1) no developmental event occurs in the fallopian tube
- (2) Cleavage begins after zygote implants in the uterus
- (3) The epiblast cells form the placenta
- (4) Inner cell mass of blastocyst eventually become the foetus




The diagram shown above is :

- (1) the primitive streak stage of chick embryo
- (2) the neural fold stage of chick embryo
- (3) 25 26 hour old chick embryo
- (4) chick embryo after 10 hours incubation
- **93.** When the lac operon is switched on, RNA polymerase recognises and attaches to the site of :
 - (1) Regulator (i) gene (2) Promoter (p) gene
 - (3) Operator (o) gene (4) Structural (z, y, a) genes
- **94.** DDT was found to accumulate in the phytoplankton, zooplankton, small fish, large fish and predatory bird which comprised a food chain. The maximum and minimum amounts of DDT were found in :
 - (1) Large fish and small fish
 - (2) Predatory bird and phytoplankton
 - (3) Phytoplankton and zooplankton
 - (4) Large fish and predatory bird

- 95. Development of resistance to antibiotics in bacteria is an example of :
 - (1) Natural selection (2) Selective breeding
 - (3) Lamarckian concept of evolution (4) DeVrie's concept of evolution

96. Blood circulation in humans is termed 'double circulation' because :


- (1) blood circulates in both anterior and posterior regions of the body
- (2) blood circulates from heart to lungs and then back to heart and then to all parts of the body
- (3) both oxygenated and deoxygenated blood circulates in the body
- (4) the heart is divided into two chambers on its left side and two on its right
- 97. The advantage of having millions of alveoli in the human lungs is that :
 - (1) a huge surface area for gas exchange becomes available
 - (2) if some alveoli collapse, others can substitute
 - (3) more oxygen than carbon-dioxide can be obtained
 - (4) vascularisation of the alveoli becomes efficient



In the ECG shown here, QRS depicts

- (1) Joint diastole
- (2) Atrial systole
- (3) Atrio-ventricular diastole
- (4) Ventricular systole

i.



The above diagram shows DNA replication. Two enzymes involved in the process are marked X and Y. Y is DNA polymerase. The name and function of X is :

- (1) Helicase : unwinds helix and breaks H-bonds
- (2) Helicase : holds unzipped strands tight
- (3) Topoisomerase : helps to form sugar phosphate bonds
- (4) Ligase : Joins complementary bases

100. The site for TCA cycle in the mitochondria is :

- (1) Space between the two mitochondrial membranes
- (2) F_1 particles
- (3) Mitochondrial matrix
- (4) Cristae

101. Which of the following belongs to Archaebacteria?

(1) Sulfobolus (2) Agrobacterium (3) Salmonella (4) Escherichia coli

102. Which one of the following viruses has RNA as its genome?

- (1) HIV (2) Epstein-Barr virus
- (3) Polyoma (4) Human Papilloma viruses

103. The organisation which publishes the 'Red Data Book' is :

- (1) National Wildlife Action Plan
- (2) Convention on International Trade in Endangered species of Wild Fauna and Flora
- (3) International Union for conservation of Nature and Natural Resources
- (4) International Panel of Climate Change

104. Green Belt refers to :

- (1) Forest cover
- (2) Area demarcated around cities and towns to reduce noise and pollution
- (3) Protected areas in forests
- (4) Terai forest region

105. Ethylene, a growth regulator is used for :

- (1) Retarding ripening of tomatoes
- (2) Speeding up ripening of fruits
- (3) Slowing down ripening of apples
- (4) Both (2) and (3)

106. Iatropalynology is the science of study of :

- (1) Pollen grains of honey
- (2) Pollengrains causing allergy
- (3) Toxic pollen grains of honey
- (4) Fossil pollen flora
- **107.** Chromosome number of an ovule in a gymnospermous plant is 8. What would be the chromosome number of its endosperm ?
 - (1) 8 (2) 16 (3) 24 (4) 32
- **108.** Which one of these produce seeds without fruit ?
 - (1) Pisum (2) Cycas (3) Casuarina (4) Opuntia

109. Tapetum occurs in the microsporangial wall between :

- (1) Epidermis and Endothecium
- (2) Endothecium and middle layers
- (3) Epidermis and Exothecium
- (4) Middle layers and sprogenous tissue

110. Qua	110. Quantosomes occur on the surface of :									
(1)	Cristae		Plasmalemma of chloroplasts							
(3)	Endoplasmic reticulum		Thylakoids							
111. If th	e anthers and the stigma mat	ture at diffe	erent times, this condition is known as :							
(1)	Dicliny (2) Dich	nogamy	(3) Protogyny (4) Herkogamy							
112. An	antitranspirant used by farme	ers is :								
(1)	Phenyl mercuric acid	(2)	Abscisic acid							
(3)	Salycylic acid	(4)	All the above							
	rihybrid cross is made in ye portion of the offspring will b		he parents have a genotype of AaBbCc. What							
	0 (2) 1/4		(3) 1/16 (4) 1/64							
(-)	- () (
114. Pin	<i>us</i> wood is non-porous, and i	is character	rised by :							
(1)	Absence of companion cell	.s (2)	Absence of vessels							
(3)	Presence of tracheids	(4)	Absence of tracheids							
115. We	witschia mirabilis is found in :	:								
(1)	Deserts of Rajasthan									
(2)	Andaman islands									
(3)	Coastal region of Namibia									
(4)	Coastal region of Western	Australia								
	(a. C. January / Turner 2011	<u></u>								
IVI.5C. L1	fe Science/June 2011	22	.2							

.

- 116. In most of the intervarietal and interspecific crosses, embryos fail to form because :
 - (1) of pollination which does not takes place
 - (2) of failure of anther formation
 - (3) of failure of endosperm formation
 - (4) of failure of ovule formation
- 117. 'Heeng' or Asafoetida is latex obtained from :
 - (1) stem of *Euphorbia tirucalli*
 - (2) stem of Manihot esculentum
 - (3) roots of Ferula
 - (4) roots of Euphorbia hirta
- 118. Gynoecium of Fabaceae is :
 - (1) Bicarpellary syncarpous
 - (2) Polycarpellary apocarpous
 - (3) Polycarpellary syncarpous
 - (4) Monocarpellary
- **119.** Peepal and *Ficus benghalensis* often grow in cracks of walls/drain pipes because their seeds are dispersed by :

23

- (1) Wind (2) Rain (3) Ants (4) Birds
- **120.** Wind pollinated flowers are :
 - (1) white in colour and less in number
 - (2) bright coloured and scented
 - (3) white in colour and more in number
 - (4) bright coloured and large

121. Bt in popular Bt-Brinjal and Bt-Cotton stands for :

- (1) Biotechnically Produced
- (2) Bacillus tomentosa
- (3) Bacilius thuringiensis
- (4) Biologically tested

122. DNA finger printing technique is developed by :

- (1) Jeffreys and his co-workers
- (2) Boysen and Jensen
- (3) Edwards and Steptoe
- (4) Schleiden and Schwann

123. Which one is *not* a terminator codon ?

(1) UAA (2) UAG (3) AUG (4) UGA


124. Barr bodies result from :

- (1) inactivation of one X chromosome by the Y chromosome
- (2) a third X chromosome
- (3) inactivation of one X chromosome for dosage compensation
- (4) inactivation of Y chromosome by the X chromosome
- **125.** Which of the following scientists shared the Nobel prize with Watson and Crick for DNA structure ?
 - (1) Rosalind Franklin (2) Pauling
 - (3) Wilkins (4) Khorana
- M.Sc. Life Science/June 2011 24

·

- **126.** Three genes I G U show crossing over 20% between I and G, 28% between G and U and 8% between I and U. Sequence of genes will be :
 - (1) G I U (2) I G U (3) I U G (4) None is correct
- **127.** Which is the correct match in the following ?
 - (1) Sickle cell anernia X chromosome
 - (2) Down's syndrome 21^{st} chromosome
 - (3) Haemophilia Y chromosome
 - (4) Parkinson's disease X and Y chromosomes

128. Which of the following is amphitropous ovule ?



129. Sexually reproducing organism can contribute to their offsprings :

- (1) All of the genes
- (2) One half of their genes
- (3) One fourth of their genes
- (4) Double the number of genes

130. During Iraq – America conflict, which of these were reportedly used as bioweapon?

- (1) Yersinia (Pasteurella) pestis
- (2) Bacillus anthracis
- (3) Streptococcus pyogenes
- (4) Treponema pallidum

131. Night phosphorescence or glow of sea water is due to which of these protists ?

(1) Noctileuca (2) Navicula (3) Phacus (4) Dictyostelium

132. Spathe and Spadix are :

- (1) homologous organ
- (2) analogous organ
- (3) different organs and hence cannot be compared
- (4) synonymous

133. BOD (Biological Oxygen Demand) is :

- (1) Amount of oxygen consumed by microorganisms for decaying organic matter per unit volume of water
- (2) Amount of oxygen required by aquatic plants and animals for survival
- (3) Amount of CO_2 consumed by micro-organisms per unit of sewage water
- (4) Demand of oxygen by aquatic plants for photosynthesis

134. Golden rice developed through transgenic technique is enriched with :

- (1) High lysine (2) High methionine
- (3) High glutenin (4) High vitamin content

135. Biofertilizer is :

- (1) Manure (2) Enriched manure
- (3) Nutrient rich microorganisms (4) Composite manure

136.	Alternate name of heartwood is :							
	(1)	Duramen	(2)	Alburnum				
	(3)	Primary Xylem	(4)	Spring wood				
137.	Thre	e types of flowers occur in the infl	oresce	ne type of :				
	(1)	Capitulum	(2)	Hypanthodium				
	(3)	Cyathium	(4)	Umbel				
138.	A frı	ait without seed is not possible in a	case of	: <				
	(1)	Grape (2) Orange		(3) Pomegranate (4) Berry				
139.	Trihy	/brid ratio is :						
	(1)	27:9:9:9:3:3:3:1	(2)	27:9:9:6:6:3:3:1				
	(3)	1:6:15:20:15:6:1	(4)	36 : 6 : 6 : 6 : 3 : 3 : 3 : 1				
140.	In w	hich of these archegonium is prese	ent ?					
	(1)	Spirogyra (2) Funaria		(3) Rhizopus (4) Fucus				
141.		spread of genes from one breeding anges in gene frequency is called :		lation to another by migration which may result				
	(1)	Genetic Drift	(2)	Gene Flow				
	(3)	Gene Frequency	(4)	None of the above				
M.Se	c. Life	e Science/June 2011	27	P.T.O.				

.

142.	. Secondary cortex cuts off from :									
	(1)	Intercalary meri	stem		(2)	Prot	oderm			
	(3)	Procambium			(4)	Phel	logen			
143.	Bota	nically Ragi is kn	own a	IS:						
	(1)	Avena Sativa			(2)	Sorg	hum Vulgare			
	(3)	Eleusine Coracan	а		(4)	Penr	iisetum typhoide	25		
144.	Whie	ch one of the follo	owing	is known a	s pon	d scu	m :			
	(1)	Spirogyra	(2)	Ulothrix		(3)	Anabaena	(4)	Nostoc	
			_							
145.	Nati	onal Botanical Re			s situa					
	(1)	Bangaluru	(2)	Kolkata		(3)	Lucknow	(4)	Ootacamand	
140	D .1	· · · · /) / · · · · ·) 1- · 1	17							
146.		eria (Monera) laci		-				6:		
	(1)	Absence of syng				ision				
	(2)	Distinct chromo	some	s are absent	t					
	(3)	No conjugation								
	(4)	No exchange of	gene	tic material						
147.	Mus	shroom is a :								
	(1)	Saprophyte			(2)	Epip	ohyte			
	(3)	Facultative Para	asite		(4)	Obli	gate Parasite			
148.	The	deadliest mushro	om is	:						
	(1)	Agaricus			(2)	Amı	inita			
	(3)	Pleurotus			(4)	Volt	variella			
M.S	M.Sc. Life Science/June 2011 28									

- **149.** A new genus of conifer is recently described from Australia and is also a 'living fossil', the name is :
 - (1) Metasequoia glyptostroboides (2) Wollemia nobilis
 - (3) Ginkgo biloba (4) Cycas Circinalis
- **150.** If the haploid number of chromosomes in a gymnosperm is 11, their number in endosperm cell would be ?

¥

(1) 22 (2) 11 (3) 33 (4) 44